

FORM PTO-1449

U.S. Department of Commerce  
Patent and Trademark OfficeAtty. Docket No.  
P30310Application No.  
10/586,052INFORMATION DISCLOSURE STATEMENT  
BY APPLICANT

(Use several sheets if necessary)

Applicant  
Minami MATSUI et al.Filing Date  
January 13, 2005Group  
Unknown

## U.S. PATENT DOCUMENTS

EXAMINER INITIAL		DOCUMENT NUMBER	DATE	NAME	CLASS	SUBCLASS	FILING DATE IF APPROPRIATE
/CKW/	2003	0 0 8 4 4 8 4	05/01/03	BASCOMB et al.			
/CKW/	2004	0 0 5 5 0 3 7	03/18/04	GLEBA et al.			
/CKW/	2003	0 0 5 1 2 6 1	03/13/03	VANDERHAEGHE N et al.			

## FOREIGN PATENT DOCUMENTS

		DOCUMENT NUMBER	DATE	COUNTRY	CLASS	SUBCLASS	TRANSLATION YES	NO
/CKW/	02	/ 1 0 1 0 0 6	12/19/02	W.I.P.O				
/CKW/	02	/ 0 8 3 8 6 7	10/24/02	W.I.P.O				
	<del>03</del>	<del>/ 0 1 2 0 3 5</del>	<del>02/13/03</del>	<del>W.I.P.O</del>				
	<del>2003</del>	<del>/ 0 7 0 4 7 7</del>	<del>03/11/03</del>	<del>JAPAN</del>				
/CKW/	02	/ 2 9 0 6 8	11/04/02	W.I.P.O				
/CKW/	02	/ 0 6 8 6 6 4	09/06/02	W.I.P.O				

## OTHER DOCUMENTS (Including Author, Title, Date, Pertinent Pages, Etc.)

/CKW/	1	R.Z. AKBERGENOV et al., ARC-1, a sequence element complementary to an internal 18S rRNA segment, enhances translation efficiency in plants when present in the leader or intercistronic region of mRNAs, Nucleic Acids Res., Vol. 32, No. 1, January 12, 2004, pp. 239-247.
/CKW/	2	Y.Y. YAMAMOTO et al., Gene trapping of the Arabidopsis genome with a firefly luciferase reporter, Plant J., Vol. 35, 2003, pp. 273-283.
/CKW/	3	P.A. IVANOV et al., A Tobamovirus genome that contains an internal ribosome entry site functional in vitro, Virology, Vol. 232, 1997, pp. 32-43.
/CKW/	4	P. Urwin et al., Functional characterization of the EMCV IRES in plants, Plant J., Vol. 24, No. 5, 2000, pp. 583-589.
/CKW/	5	W. ZHOU et al., Transcript leader regions of two Saccharomyces cerevisiae mRNAs contain internal ribosome entry sites that function in living cells, Proc. Natl. Acad. Sci., Vol. 98, No. 4, 2001, pp. 1531-1536.
/CKW/	6	W. ZHOU et al., Isolation and identification of short nucleotide sequences that effect translation initiation in Saccharomyces cerevisiae, Proc. Natl. Acad. Sci., Vol. 100, No. 8, 2003, pp. 4457-4462.
/CKW/	7	A.H. JHEON et al., Characterization of the 5'-flanking region of rat AJ18 gene, Gene, Vol. 310, 2003, pp. 203-213.
/CKW/	8	S.A. CHAPPELL et al., A 9-nt segment of a cellular mRNA can function as an internal ribosome entry sties (IRES) and when present in linked multiple copies greatly enhances IRES activity, Proc. Natl. Acad. Sci., Vol. 97, No. 4, 2000, pp. 1536-1541.
/CKW/	9	M. KIMURA et al., Arabidopsis transcriptional regulation by light stress via hydrogen peroxide-dependent and -independent pathways, Genes Cells, Vol. 6, 2001, pp. 607-617.
/CKW/	10	English language Abstract of JP 2003-070477.

EXAMINER /Cathy Worley/

DATE CONSIDERED 06/22/2008

\*EXAMINER: Initial if citation considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Application No.  
10/586,052

Group  
Unknown